

# 揚聲器製品規格書

## SPEAKER SPECIFICATION

### Neodymium Woofer

### HT-12ND75




Model : HT-12ND75

specifications		thiele & small parameters		mounting information	
Size	300mm(12in)	Fs	47 Hz	Overall Diameter	320mm(12.5 in)
Impedance	8Ω	Re	5.0Ω	Bolt Circle Diameter	296mm(11.6 in)
D.C.Resistance	5.0Ω	Qes	0.38	Baffle Cutout Diameter	282mm(11.1 in)
Nominal Power	350w	Qms	4.05	Depth	142mm(5.6 in)
Maximum Power	700w	Qts	0.35	Flange and Gasket Thickness	12mm(0.47 in)
Sensitivity(1W/1m)	96.3dB	Vas	106 Ltr	shipping information	
Frequency Range	Fs-2.5KHz	Sd	530cm <sup>2</sup>	Net Weight	2.8kg(6.2 lb)
Voice Coil Diameter	75mm ( 3 in )	Xmax	±4.0mm	Shipping Weight	3.4kg(7.59 lb)
Winding Material	Copper	Mms	43.9g	Shipping Box	320*320*145mm
Former Material	Glass Fibre	Bl	12.9 T.m		(12.6*12.6*5.7in)
Winding Depth	18mm ( 0.75in )	Le	491m mH		
Magnetic Gap Depth	10mm(0.23in)				
Flux Density	1.25T				
Magnet Material	Neodymium Ring				

Also available in 4Ω and 16Ω , data upon request

### Impedance vs Freq



### SPL vs Freq

