

揚聲器製品規格書

SPEAKER SPECIFICATION

Neodymium Woofer

HT-15ND75



Model : HT-15ND75

specifications		thiele & small parameters		mounting information	
Size	385mm(15in)	Fs	45 Hz	Overall Diameter	393mm(15.5in)
Impedance	8Ω	Re	5.0Ω	Bolt Circle Diameter	374mm(14.7in)
D.C.Resistance	5.0Ω	Qes	0.33	Baffle Cutout Diameter	353mm(13.9in)
Nominal Power	400w	Qms	8.83	Depth	177mm(7.0in)
Maximum Power	800w	Qts	0.32	Flange and Gasket Thickness	16mm(0.62in)
Sensitivity(1W/1m)	98.4dB	Vas	163 Ltr	shipping information	
Frequency Range	Fs-2.5KHz	Sd	907cm ²	Net Weight	4.8kg(10.6lb)
Voice Coil Diameter	75mm (3 in)	Xmax	±4.2mm	Shipping Weight	5.6kg(12.4lb)
Winding Material	Copper	Mms	90g	Shipping Box	410*410*190mm
Former Material	Glass Fibre	Bl	19.5 T.m		(16.1*16.1*7.4in)
Winding Depth	18mm (0.70 in)	Le	688m mH		
Magnetic Gap Depth	10mm(0.39 in)				
Flux Density	1.25T				
Magnet Material	NNeodymium Inside Slug				

Also available in 4Ω and 16Ω , data upon request

SPL vs Freq



Impedance vs Freq

